



Interoperating Network Communications Architecture

a Technology Development Mission to
Extend Commercial Networks to Space
and more

IAC 2016 – Guadalajara, Mexico

Advanced Technologies for Space Communications and
Navigation Session IAC-16,B2,6,3,x33026

September 29, 2016

Presenter:


Gary Pearce Barnhard, President & CEO
Xtraordinary Innovative Space Partnerships, Inc.
(XISP-Inc)

gary.barnhard@xisp-inc.com
www.xisp-inc.com




Outline

- The Problems Addressed . . .
- The Solution Proposed . . .
- Possible Applications . . .
- Conclusions . . .




Near Earth, Mars, and Lunar Network Concept*




* NASA Space Communication and Navigation (SCaN) Office Preliminary Architecture Concept January 2016

Planetary Networks Concept*




* NASA Space Communication and Navigation (SCaN) Office Preliminary Architecture Concept January 2016

Near Earth Communications & Navigation Architecture*



** NASA Space Communication and Navigation (SCaN)
Office Preliminary Architecture Concept January 2016*

ISS Communications System



The Problem Addressed – 1

Testing DTN Technology with Real World Requirements

Testing Delay Tolerant Networking Technology with Real World Requirements approaches the problem of maturation of Delay/Disturbance (DTN) technology and facilitating its use from an end-user requirements perspective.

Goal: Demonstrate that real world requirements can be accommodated by an operational implementation of DTN technology that allows it to be used as tool that meets customer requirements (performance, availability, and security) in a satisfactory and sufficient manner

Virtualize a Single Function and Test it's Efficacy in Near Realtime

The Problem Addressed – 2

Pervasively Networked DTN Gateway

A Pervasively Networked DTN Gateway approaches the problem of maturation of DTN technology and facilitating its use from an infrastructure perspective.

Goal: A pervasively networked point-of-presence gateway supporting quality of service based routing (performance, availability, and security) on all available internal and external networks accessible on the International Space Station for payload use consistent with operational guidelines.

Virtualize Multiple Functions and create an automated orbital telco central office prototype

The Problem Addressed – 3

Near-Earth Emergency Preparedness and Response Network

Near-Earth Emergency Preparedness and Response Network Focal Point approaches the problem of maturation of DTN technology and facilitating its use from a cooperating / interoperating network interface perspective with an emphasis on terrestrial applications.

Goal: Support the development and implementation of a Near-Earth Emergency Preparedness and Response Network by prototyping and testing readily deployable pervasively networked highly mobile point-of-presence systems including dynamically schedulable space assets

Demonstrate Earth Facing Applications

The Problem Addressed – 4

Cislunar Pervasively Networked Communications

Cislunar Pervasively Networked Communications Technology Development approaches the problem of maturation of DTN technology and facilitating its use from a cooperating/interoperating network interface perspective with an emphasis on Cislunar applications.

Goal: Support the development and implementation of a Cislunar Communications Network by prototyping and testing readily integratable interface kits for allowing new - and where possible - existing space systems to become cooperating / interoperating nodes interacting with pervasively networked point-of-presence systems.

Demonstrate Space Facing Applications


The Solution Proposed - 1

A set of technology development missions proposed for the International Space Station (ISS) which:

1. leverages available resources to serve as a testbed,
2. has an integral evolutionary path from experiment to infrastructure, and
3. helps to mitigate perceived cost, schedule, and technical risk associated with the accommodation and use of new communications technologies.



The Solution Proposed – 2 Xlink Internet Services Protocol



The Solution Proposed – 3 INCA Experiment Elements

Function: Internet Banking
Purpose: Source of Real World Performance/Availability/Security Requirements
Value: Testing, which supports the verification, and validation of INCA Architecture with real interoperating network requirements

Function: Pervasively Networked DTN Gateway
Purpose: Enables INCA QoS Based Routing
Value: Testing INCA Architecture for LEO/MEO/GEO Use

ITERATIVE

&


RECURSIVE

Function: Cis-Lunar Pervasively Networked Communications Interface
Purpose: Enables & Demonstrates BEO Application
Value: Testing INCA Architecture for BEO Flight Project Use

Function: Near-Earth Emergency Preparedness and Response Network
Purpose: Enables & Demonstrates Terrestrial Application
Value: Testing INCA Architecture for Terrestrial Use


The Solution Proposed – 4

INCA Pervasively Networked Gateway w/Quality of Service (QoS) Based Routing



The Solution Proposed – 5

INCA 6U Flight Test Article Derived from Team Alpha CubeSat



The Solution Proposed – 6

INCA Augmented Space Qualified Intel® Next Unit of Computing (NUC)



Possible Applications– 1

INCA Proposed Function Implementation

MISSION ANNEX 1

Testing DTN with Real World Requirements

Function Model

Website Access w/ defined QoS Requirements

- End User Command Stream
- QoS Requirements Baseline
- QoS Measurement

Performance/Availability/Security

- State Models
- Operational Guidelines
- Processed Data Storage
- Linked Page Implementation

Xrosslink Internet Services Protocol

- Defined Network
- Establish Link
- Characterize Link
- Define Link Context
- Model QoS Available
- Advertise QoS Available

MISSION ANNEX 2

Pervasively Networked Gateway w/QoS Based Routing

Function Model

Pervasively Networked Gateway w/ QoS Based Routing

- End User Command Stream
- QoS Requirements Baseline
- QoS Measurement

Performance/Availability/Security

- State Models
- Operational Guidelines
- Processed Data Storage
- Linked Page Implementation

Xrosslink Internet Services Protocol

- Sense Networks
- Establish Links
- Characterize Links
- Define Link Contexts
- Model QoS Available
- Advertise QoS Available

Possible Applications – 2

INCA Proposed Function Implementation (Continued)

MISSION ANNEX 3 Near Earth Emergency Preparedness and Response Network

Function Model Interoperating Earth Node Interface Kit

- Hardware Requirements
- Software Requirements
 - Specifications
- Operational Guidelines

MISSION ANNEX 4 Cis-Lunar Pervasively Networked Communications Technology Development

Function Model Interoperating Space Node Interface Kit

- Hardware Requirements
- Software Requirements
 - Specifications
- Operational Guidelines

Conclusion

The path forward now entails:

- translating the narrative into actually building real systems that provide services of demonstrable value, and
- validating the same through peer review in the communities of interest.

It is through this cyclic process that maximum value can be derived from each increment of resources committed to this mission set as well as it's anticipated extensions and follow-ons.

The INCA mission is an XISP-Inc commercial mission moving forward as a supported mission under an existing Space Act Agreement with NASA ARC and a Space Act Umbrella Agreement under negotiation with NASA Headquarters.



For further information please visit . . .
www.xisp-inc.com
or email
gary.barnhard@xisp-inc.com